

()

*

(// : // :)

***T. urticae* Koch**

± °C ()
(L:D) :
()
()

(/)

()

Lycopersicon

esculentum Mill.

)

(.)

(

()

/ /

/

(.)

/

Tetranychus urticae Koch

(.)

()

(.)

(.)

()

//

()

()

()

x

± °C
(L:D)

:

%

()

()

()

()

± °C
(L:D)

% ±

Long Shelf Life Meran

/

/ cm cm

×
% ± ± °C
(L:D)

MSTAT-

%

()

×

C

SPSS 11.5

SAS
EXCEL

-
1. Production imported by Yazd Chemichal Co. -Origin: Netherlands (Nunhems)
 2. Western Seed- Origin: Holland

...

:

()

.

/
/ **
/

: ()

.

**

:

:

.()

/	/	/	/	a	/	/	a	/	/	a	/	/	/	/	/	/
/	/	/	/	abc	/	/	ab	/	/	ab	/	/	/	/	/	/
/	/	/	/	ab	/	/	abc	/	/	bc	/	/	/	/	/	/
/	/	/	/	abc	/	/	abc	/	/	cd	/	/	/	/	/	/
/	/	/	/	abc	/	/	bc	/	/	cd	/	/	/	/	/	/
/	/	/	/	abc	/	/	bc	/	/	de	/	/	/	/	/	/
/	/	/	/	bc	/	/	bc	/	/	de	/	/	/	/	/	/
/	/	/	/	abc	/	/	c	/	/	e	/	/	/	/	/	/
/	/	/	/	c	/	/	c	/	/	f	/	/	/	/	/	/

LSD /

...

:

X14	X13	X12	X11	X10	X9	X8	X7	X6	X5	X4	X3	X2	X1	
														X1
													/	X2
												/	/	X3
											/	/	/	X4
									/	/	/	/	/	X5
								/	/	/	/	/	/	X6
							/	/	/	/	/	/	/	X7
						/	/	/	/	/	/	/	/	X8
					/	/	*	/	/	/	/	/	/	X9
			/	/	/	/	/	/	/	/	/	/	/	X10
		/	/	/	/	/	/	/	/	/	/	/	/	X11
		/	/	/	/	/	/	/	/	/	*	/	/	X12
	/	/	/	/	/	/	/	/	/	/	/	/	/	X13
/	/	/	/	/	/	/	/	/	/	/	/	/	/	X14
/	/	/	/	/	/	/	/	/	/	/	/	/	/	X15




*

X15	X14	X13	X12	X11	X10	X9	X8	X7	X6	X5	X4	X3	X2	X1	
															X1
														/	X2
												/	/	/	X3
											/	/	/	/	X4
									/	/	/	/	/	/	X5
								/	/	/	/	/	/	/	X6
							/	/	/	/	/	/	/	/	X7
						/	/	/	/	/	/	/	/	/	X8
					/	/	/	/	/	/	/	/	/	/	X9
				/	/	*	/	/	/	/	/	/	/	/	X10
		/	*	/	/	/	/	/	/	/	/	/	/	/	X11
		/	/	/	/	/	/	/	/	/	*	/	/	/	X12
	/	/	/	/	/	/	/	/	/	/	/	/	/	/	X13
/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	X14
/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	X15
/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	X16

*

			:X ₄			:X ₃			:X ₂		:X ₁
			:X ₈			:X ₇			:X ₆		:X ₅
			:X ₁₂			:X ₁₁			:X ₁₀		:X ₉
			:X ₁₆			:X ₁₅			:X ₁₄		:X ₁₃

:



REFERENCES

1. Anonymous. 2004. Core production data. [http:// Faostat. fao. org/ site/ 340/ default.aspx.2006/ 6/ 24](http://Faostat.fao.org/site/340/default.aspx.2006/6/24).
2. Atherton, J.G. & J. Rudich. 1986. The tomato crop. Chapman and Hall. 661pp.
3. Behnamian, M. & S. Masiha. 2002. Tomat, *Lycopersicon esculentum*. Sotoudeh. 110pp.
4. Crooker, A. 1985. Embryonic and juvenile development. In: W. Helle and M.W. Sabelis (eds.). World crop pests. Vol. IA. Spider mites: their biology, natural enemies and control. Elsevier Sci. Pub. The Netherlands, pp. 149-163.
5. Fasulo, T.R. & H.A. Denmark. 2006. Twospotted spider mite, *Tetranychus urticae* Koch (Arachnida: Acari: Tetranychidae). [http://edis.ifas. ufl.edu/ IN307. 2006/2/7](http://edis.ifas.ufl.edu/IN307.2006/2/7).
6. Haddad Irani Nejad, K., K. Kamali, & M. Moghadam. 1998. Evaluating the effects of morphological characteristics of some cotton varieties on biological reactions of the two-spotted spider mite, *Tetranychus urticae* K. (Acari: Tetranychidae). Agricultural Science. Vol. 8(1,2):183-211.
7. Helle, W. & W.P.G. Overmeer. 1985. Rearing techniques. In: W. Helle and M.W. Sabelis (eds.). World crop pests. Vol. IA. Spider mites: their biology, natural enemies and control. Elsevier Sci. Pub. The Netherlands, pp. 331-336.
8. Khanjani, M. & K. Haddad Irani Nejad. 2006. Injurious mites of agricultural crops in iran. First Edition. University of Bu-Ali Sina. 515pp.
9. Maruyama, W.I., L.C. Tascano, A.L.B. Junior, & J.C. Barbos. 2002. Resistance of genotypes of tomato to the red mites. Hortic. Bras., Vol. 20(3): 480-484.
10. McNab, S.C. & P.H. Jerie. 1991. Leaf scorch responses of "sensation" and "Bartlet" pear to two-spotted spider mite (Acari: Tetranychidae). J. Econ. Entomol., Vol. 84(4): 1334-1338.
11. Nouri Ganbalani, G. 2001. Insect Ecology(Translated). University of Mohaghegh Ardabili. 655pp.
12. Nouri Ganbalani, G., M. Hosseini, & F. Yaghmaee. 1995. Plant resistance to insects: a fundamental approach (Translated). Jahad Daneshgahi Mashhad. pp.167-187.
13. Sabelis, M.W. 1985. Reproductive strategies.in: W. Helle and M.W. Sabelis (eds.). World crop pests. Vol. IA. Spider mites: their biology, natural enemies and control. Elsevier Sci. Pub. The Netherlands, pp. 265-278.
14. Skirvin, J. D. & M.D.C. Williams. 1999. Differential effects of plant species on a mite pest (*Tetranychus urticae*) and it's predator (*Phytoseiulus persimilis*): implications for biological control. Exp. Appl. Acarol., (23): 497-512.
15. Snyder, J.C., R.R. Thacer, & X. Zhang. 2005. Genetic transfer of a two spotted spider mite (Acari: Tetranychidae) repellent in tomato hybrids. J. Econ. Entomol., Vol. 98(5): 1710-1716.
16. Talebi Chaichi, P. 1997. Ecology of Insect-plant interaction(Translated). Amidi. 129pp.
17. Tulisalo, V. 1971. Free and bound amino acid of three host plant species and various fertilizer treatments affecting the fecundity of the two-spotted spider mite, *Tetranychus urticae* Koch (Acarina, Tetranychidae). Annu. Rev. Entomol., (37): 155-163.
18. Van de vrie, M. 1985. Greenhouse ornamental. In: W. Helle and M.W. Sabelis (eds.). World crop pests. Vol. IA. Spider mites: their biology, natural enemies and control. Elsevier Sci. Pub. The

Netherlands, pp. 273-283.

19. Wermelinger, B., J.J. Oertel, & J. Baumgarthner. 1991. Environmental factors affecting the life tables of *Tetranychus urticae* (Acari: Tetranychidae). *Exp. Appl. Acarol.*, 12: 259-274.
20. Wold, S.J. & W.D. Hutchison. 2003. Varietal resistance to *Tetranychus urticae* Koch (Acari: Tetranychidae) in Minnesota strawberries and control with Bifenthrin. *J. Entomol. Sci.*, Vol. 38(4): 692-695.
21. Wrensch, D.L. 1985. Reproductive parameter. In: W. Helle and M.W. Sabelis (eds.). *World crop pests. Vol. IA. Spider mites: their biology, natural enemies and control.* Elsevier Sci. Pub. The Netherlands, pp. 165-170.