

() ,

Pyricularia grisea

*

(/ / : / / :)

Pyricularia grisea

EC50 PDA

-

EC50

%

%

%

%

Pyricularia grisea :

.(Seebold *et al.*, 2004)

(*Oryza sativa* L.)

%

.(Padasht-Dehkaei, 2002)

.(Gooding & Davis, 1997)

Pyricularia grisea (Cooke) Sacc.

Magnaporthe grisea (Hebert) Barr

PDA

(Padasht-Dehkaei & Sharifi-Tehrani, 2003)

±

(Izadyar, 1999)

()

(Bamdadian, 1999)

:

(Yoshino, 1988)

$$\% = \frac{\text{---}}{\text{---}} \times$$

(EC50) %

(Akhavizadegan, 1977)

)

(X

(Maleki *et*

MINITAB 13

(Y)

al.,1998; Padasht-Dehkaei & Sharifi-Tehrani, (Katagiri *et al.*,1980; Nene & 2003) Thapliyal, 1993; Viswanathn & Narayanasamy, 1992; Maria, 1988)

(Viswanathn & Narayanasamy,

ppm

.1992)

)

ppm

(

%

EC50

EC50 .

SAS

(PDA)

(Vincelli &

% /


.Dixon, 2002)

(ppm)

(

%

)




EC50

Pyricularia grisea

) PDA

%

.(



Pyricularia grisea

PDA

%

)

.(

Pyricularia grisea

PDA


(ppm) PDA

/

/

/

*



Pyricularia grisea

) PDA

%

.(


EC50

/

ppm /

/

... *Pyricularia grisea* :



ppm

EC50

ppm

EC50

Pyricularia grisea

) PDA

EC50

.(

%

%

PDA

Padasht-Dehkaei & Sharifi-Tehrani

(2003)

%

%

%

%

%

%

%

%

(

)

%

(Yoshino,

(Katagiri *et al.*, 1980;

1988)

Nene & Thapliyal, 1993; Viswanathn

& Narayanasamy, 1992; Maria, 1988)

.()

(%)

()

()

()

a

a

a*

b

a

a


c

b

b

%

*



:C

:B

:A ()

.(Pasquereau, 1994)

EC50

EC50

EC50

EC50

EC50

(Brent & Hollomon,

.1998)

.(Brent, 1995)

.(Pasquereau, 1994)

(Yoshino, 1988)

(1995) Brent

REFERENCES

1. Khavizadegan, M. (1977). Comparison of some fungicides against blast disease. *Iranian Journal of Plant Pathology*, 12, 1-8. (In Farsi, with English abstract).
2. Bamdadian, A. (1999). *Fungicides and their usage in agriculture*. Barahmand Publisher, Tehran. (In Farsi).
3. Brent, J. K. (1995). *Fungicides resistance in crop pathogens, how can it be managed?*. GCPF, UK.
4. Brent, K. J. & Hollomon, D. W. (1998) *Fungicide resistance: The Assessment of Risk*. GCPF, UK.
5. Izadyar, M. (1999). *Rice blast disease*. Agriculture Instruction Emission Publisher, Tehran. (In Farsi).
6. Oodling, M. T. & Davis, W. P. (1997). *Wheat production and utilization: systems, quality and environment*. CAB International. UK.
7. Katagiri, M., Uesugi, Y. & Umehara, Y. (1980). Development of resistance to organophosphorous fungicides in *Pyricularia oryzae* in the fields. *Journal of Pestic Science*, 5, 417-421.
8. Maleki, M., Zamanizadeh, H. & Izadyar, M. (1998). A report in occurrence of resistance in some strains of *Magnaporth grisea* causal agent of rice blast against benomyl and edifenphos in Guilan Province. In: *Proceedings of the 13th Iranian Plant Protection Congress*, Karaj, Iran, p.78.
9. Maria, R. (1988). Hinosan tolerance developed by *Cochliobolus miyabeanus* and *Pyricularia oryzae*. *Review of Plant Pathology*, 39, 239.
10. Nene, Y. L. & Thapliyal, P. N. (1993). *Fungicides in plant disease control*. (3rd ed.). Oxford and IBH Publishing CO. PVT. LTD. New Dehli.
11. Padasht-Dehkaei, F. (2002) *Chemical control of rice blast and resistance in causal fungus against fungicides*. Promotion Assistant Technical Publisher, Ministry of Jihad Keshavarzi, Tehran. (In Farsi).
12. Padasht-Dehkaei, F. & Sharifi-Tehrani, A. (2003). Resistance of *Pyricularia grisea* causal agent of rice blast disease to edifenphos and benomyl in Guilan province. *Journal of Agricultural Science*, 33, 763-769. (In Farsi, with English abstract).

13. Pasquereau, J. L. (1994). Financial implications of fungicide resistance. In: S. Heaney, D. Slawson, D.W. Hollomon, M. Smith, P.E. Russell and D.W. Parry(Eds.) *Fungicide resistance*. (pp.371-378). BCPC, Monograph No 60, British Crop Protection Council, UK.
14. Seebold, K.W. Jr., Datnoof, L. E., Correa-Victoria, F. J., Kucharek, T. A. & Snyder, G. H. (2004). Effects of silicon and fungicides on the control of leaf and neck blast in upland rice. *Plant Disease*, 88, 253-258.
15. Vincelli, P. & Dixon, G. (2002). Resistance to strobilurin fungicides in isolates of *Pyricularia grisea* from perennial ryegrass. *Plant Disease*, 86, 235-240.
16. Viswanathn, R. & Narayanasamy, P. (1992). Occurrence of resistance in rice pathogen to fungicides. *Review of Plant Pathology*, 69, 295.
17. Yoshino, R. (1988). Present status of occurrence and control of blast disease in Japan. *Japan Pesticide Information*, 52, 3-8.